


Extreme Heat

Doing too much on a hot day, spending too much time in the sun or staying too long in an overheated place can cause heat-related illnesses. Know the symptoms of heat disorders and overexposure to the sun, and be ready to give first aid treatment.




Before Exposure to the Summer Heat


- Install window air conditioners or locate a place that has them.
- Close all floor heat registers.
- Insulate spaces around window air conditioners for a tight fit.
- Use a circulating or box fan to spread the cool air.
- Consider installing temporary reflectors (e.g. aluminum foil covered cardboard) to reflect heat back outside. Consider weather stripping doors and windowsills to keep cool air in.
- Consider keeping storm windows up all year. Storm windows can keep the heat out of a house in the summer the same way they keep the cold out in the winter.
- Check air-conditioning ducts for proper insulation.

During Expected High Heat Conditions

- Protect windows. Hang shades, draperies, awnings, or louvers on windows that receive morning or afternoon sun. Outdoor awnings or louvers can reduce the heat entering the house by as much as 80 percent. Conserve electricity – power outages may occur.
- Stay inside as much as possible during periods of extreme heat. If air conditioning is not available, stay on the lowest floor out of the sunshine. Remember that electric fans do not cool; they just blow hot air around.
- Eat well-balanced, light meals.
- Drink plenty of water regularly.
- Limit intake of alcoholic beverages – they actually cause dehydration.
- Dress in loose-fitting clothes that cover as much skin as possible. Lightweight, light-colored clothing that reflects heat and sunlight and helps maintain normal body temperature.
- Protect face and head by wearing a wide-brimmed hat.
- Allow your body to get acclimated to hot temperatures for the first 2/3 days of a heat wave.
- Avoid too much sunshine. Sunburn slows the skin's ability to cool itself. Use a sunscreen lotion with a high SPF (sun protection factor) rating.
- Avoid extreme temperature changes. A cool shower immediately after coming in from hot temperatures can result in hypothermia, particularly for elderly and very young people.
- Slow down. Reduce, eliminate, or reschedule strenuous activities. High-risk individuals should stay in cool places. Get plenty of rest to allow your natural "cooling system" to work.
- Take salt tablets only if specified by your physician. Persons on salt-restrictive diets should check with a physician before increasing salt intake.
- Vacuum air conditioner filters weekly during periods of high use.
- Learn the symptoms of heat disorders and know how to give first aid.



Heat Disorders



Sunburn

Symptoms: Skin redness and pain, possible swelling, blisters, fever, headaches.

First Aid: Take a shower, using soap, to remove oils that may block pores preventing the body from cooling naturally. If blisters occur, apply dry, sterile dressings and get medical attention.

Heat Cramps

Symptoms: Painful spasms usually in leg and abdominal muscles. Heavy sweating.

First Aid: Firm pressure on cramping muscles or gentle massage to relieve spasm. Give sips of water. If nausea occurs, discontinue.

Heat Exhaustion

Symptoms: Heavy sweating, weakness, cold skin, pale and clammy, weak pulse, normal temperature possible. May be fainting or vomiting.

First Aid: Get victim to lie down in a cool place. Loosen clothing. Apply cool, wet cloths. Fan or move victim to air-conditioned place. Give little sips of water. If nausea occurs, discontinue giving liquids. If vomiting occurs, seek immediate medical attention.

Heat Stroke (Sun Stroke)

Symptoms: High body temperature (106+). Hot, dry skin. Rapid, strong pulse. Possible unconsciousness. Victim will likely not sweat.

First Aid: Heat stroke is a severe medical emergency. Call 9-1-1 for emergency medical services or get the victim to a hospital immediately. **Any delay can be fatal.** Move victim to a cool environment. Try a cool bath or sponging to reduce body temperature – or use ice packs or bags if accessible. Use extreme caution. Remove clothing. Use fans and/or air conditioners.

DO NOT GIVE FLUIDS.